





### **OUR PROMISE TO YOU**

#### **Quality You Can Trust**

We are committed to crafting exceptional architectural systems using aluminum and glass. Every product is designed to excel your expectations, ensuring satisfaction in every step of the process.

#### Sustainability at Heart

Protect the environment is part of who we are. We work diligently to conserve natural resources, reduce waste, and prevent pollution while creating products that stand the test of time.

#### A Safe Workplace for All

Your safety matters. Whether it is our team members or the end-users of our products, we prioritize health and safety in every aspect of our operations. Managing risks and fostering collaboration, to ensure safety and better outcomes for everyone.

#### **Secure Supply Chains**

Integrity is the core of our business. We take proactive steps to protect against risks, including contamination and smuggling.







# SINGLE HUNG WINDOW **ESR 1000**

Simple, strong, and versatile, the ESR 1000 blends seamlessly into any architectural style. Built to last, this window is ideal for residential and commercial spaces alike.





#### **System Description**

- Maximum width (Equal): 53 1/8" width x 63" height
- Maximum height (Equal): 42" width x 74 1/4" height
- Maximum width (Unequal): 53 1/8" width x 50 5/8" height
- Maximum height (Unequal): 26 1/2" width x 74 1/4" height
- Frame depth: 2 3/8"
- Flange frame available
- Designed for  $\frac{5}{6}$ " and  $\frac{3}{6}$ " annealed and heat strengthened laminated glass options
- LMI and SMI
- Configuration: OX
- Tested water infiltration: 12 psf.
- Tested design load:
  - +80/-90 psf. (LMI)
- U-value: 1.04 on clear laminated SB 70
- SHGC: 0.29 on clear laminated SB 70

- Low-E Solarban 70 available and others Low-E
- Screen option available
- Block and tackle and ultra-lift balance options
- Standard white and bronze aluminum finishes. Custom paint available
- Sweep lock and vent latch handles available
- Heavy-duty meeting rail available
- PVB or SGP laminated glass with coating options available

## FIXED WINDOW **ESR 1500**

Looking to bring more light into your space? The ESR 1500 fixed window is impact-rated and available in a variety of shapes, offering endless possibilities for creativity and functionality.





### **System Description**

- Maximum size: 36" width x 120" height or (up to 30 sqft)
- Frame depth: 2 3/8"
- Flange frame available
- Designed for  $\frac{1}{6}$ , and  $\frac{1}{6}$  annealed and heat strengthened laminated glass options
- LMI and SMI
- Tested water infiltration: 15 psf.
- Tested design load:
- +70/-90 psf. (LMI)
- Laminated glass:
  - 1/8" ANN + 0.09 PVB + 5/16" ANN
  - ¾6" HS + 0.09 PVB + 1/16" HS
- U-value: 1.01 on clear laminated SB 70
- SHGC: 0.31 on clear laminated SB 70

- Low-E Solarban 70 available and others Low-E
- Standard white and bronze aluminum finishes. Custom paint
- PVB laminated glass with coating options available
- Architectural shapes

# HORIZONTAL ROLLER / SLIDING WINDOW ESR 2000

Ease and efficiency meet durability in the ESR 2000 horizontal sliding window. Its smooth operation and excellent ventilation make it a popular choice for a wide range of projects.





#### **System Description**


- Maximum size: 111" width x 63" height (XOX) and 74" width x 63" height (XO or OX)
- Frame depth: 2 3/8"
- Sill height: 3 5/16"
- Flange and flush frame available
- Designed for  $\frac{5}{16}$ ,  $\frac{3}{8}$ " and  $\frac{7}{16}$ " annealed glass and heat strengthened laminated glass options
- LMI and SMI
- Configurations: OX, XO, XOX ( $\frac{1}{3}$ "w +  $\frac{1}{3}$ "w +  $\frac{1}{3}$ "w) and ( $\frac{1}{4}$ "w +  $\frac{1}{2}$ "w +  $\frac{1}{4}$ "w)
- Tested water infiltration: 12 psf.
- Tested design load:
  - +80/-90 psf. (LMI)
- U-value: 1.06 on clear laminated SB 70
- SHGC: 0.28 on clear laminated SB 70

- Low-E Solarban 70 available and others Low-E
- Screen option available
- Standard white and bronze aluminum finishes. Custom paint available
- PVB laminated glass with coating options available
- Sweep lock and vent latch handles available
- Heavy duty meeting rail available



# FRENCH DOOR / SWING DOOR **ESR 3000**

The ESR 3000 is not just a door, it is a statement. With its timeless design and impact-rated construction, it adds a layer of elegance and security to any residential or commercial space.







#### **System Description**

- Maximum size:
  - Single leaf: 40" width x 96" height
  - Double leaf: 76" width x 96" height
- Frame depth: 4"
- Designed for %6'', %8'' and %6'' annealed and heat strengthened laminated glass options
- Prepped handle bores options only
- Tested water infiltration: 13.5 psf. (single) 15 psf. (double)
- Tested design load: +80/-70 psf.
- U-value: 1.04 on clear laminated SB 70
- SHGC: 0.23 on clear laminated SB 70

- Low-E Solarban 70 available and others Low-E
- Standard white and bronze aluminum finishes. Custom paint available
- PVB or SGP laminated glass with coating options available
- Wide variety of hardware options including three-point lock, heavy-duty hinges, lever handles, deadbolts, among others
- High bottom rail and high sill optional
- Self-clip sidelites
- Smart lock doors
- Decoratives designs for entrance doors available

## SLIDING GLASS DOOR **ESR 4000**

Open up your world with the ESR 4000. This sliding glass door system combines sleek design, impact resistance, and versatility, making it a standout feature for exteriors.





#### **System Description**

- Maximum panel size:
  - 48" width x 108" height
  - 48" width x 111" height (2 panel with reinforcements)
- Frame depth: 4 ½"
- Designed for  $\% {\rm 6"}$  and  $\% {\rm 2"}$  annealed and heat strengthened laminated glass options
- Sill height: 2 1/8"
- 2 track, and up to 4 panel configuration with screens
- Configurations: OX, XO, OXO, OXXO
- Tested water infiltration: 12 psf.
- Tested design load:
  - +70/-80 psf.
  - +80/-103 psf. (OX and XO only)
- U-value: 1.02 on clear laminated SB 70
- SHGC: 0.30 on clear laminated SB 70

- Low-E Solarban 70 available and others Low-E
- Screen option available
- Standard white and bronze aluminum finishes, and custom paint available
- PVB or SGP laminated glass with coating options available
- Reinforcement available

### COLORS & FINISHES

### **ESR** RESIDENTIAL SERIES



**BRONZE** 



**WHITE** 





### **ACCESSORIES**


Every ESR product reflects our dedication to excellence. From the finest materials to cutting-edge technology and expert craftsmanship, we create windows and doors that are as beautiful as they are durable. When you choose ESR, you are choosing products designed to elevate your space and stand the test of time.



VENT LATCH
ESR 1000
ESR 2000



SWEEP LOCK
ESR 1000
ESR 2000



HANDLE SGD ESR 4000



